

INDEX MAPS.

T. 10N, R. 5E. 2nd Mer.

	388	388	388	387	387	387						
390	6	414	5	408	4	404	3	399	2	395	1	386
	414	414	408	403	399	394						
390	7	413	8	407	9	403	10	399	11	394	12	386
	413	412	407	402	398	394						
390	18	412	17	406	16	402	15	398	14	393	13	386
	412	411	406	402	397	393						
389	19	411	20	406	21	401	22	397	23	393	24	385
	410	410	405	401	396	392						
389	30	410	29	405	28	401	27	396	26	392	25	385
	409	409	404	400	396	391						
389	31	408	32	404	33	400	34	395	35	391	36	384
	384	384	384	383	383	383						

T. 11N, R. 5E. 2nd Mer.

	423		422		422		422		421		421	
425	6	448	5	442	4	438	3	434	2	430	1	421
	449		448		442		438		433		429	
425	7	448	8	442	9	437	10	433	11	429	12	420
	447		447		441		437		433		429	
424	18	446	17	441	16	437	15	432	14	428	13	420
	446		446		440		436		432		428	
424	19	445	20	440	21	436	22	432	23	427	24	420
	444		445		440		435		431		427	
423	30	444	29	439	28	435	27	431	26	427	25	419
	443		444		439		435		430		426	
423	31	443	32	438	33	434	34	430	35	426	36	419
	418		418		418		417		417		417	

The figures on the lines refer to the page.

Township N. 10 North, Range N. 3 East T. Mer. Indiana

South Boundary var. 7.15' E.

Met On S. boundary of Sec. 36, T10 N. R3 E.

1.25 a Creek 80 lks. wide Course S.

8.00 a Poplar 36 in. dia.

40.00 Set the gr. Sec. post, from which
a W. Oak 12 in. dia. bear S 50 E 18 lks. dist. of
an Oak 13 " " " N 44 W 31 " "

68.41 a W. Oak 24 " "

80.00 Set a post Cor. to Sec. 35 & 36, from which
a W. Oak 10 in. dia. bear N 62 W 13 lks. dist. of
a Hickory 12 " " " S 16 E 12 " "
Over Mountain, timber Oak &c.

Met On S. boundary of Sec. 35, T10 N. R3 E.

23.50 a W. Oak 18 in. dia.

40.00 Set the gr. Sec. post, from which
a Dogwood 6 in. dia. bear N 80 E 19 lks. dist. of
an Oak 14 " " " N 68 W 5 " "

57.41 an Oak 14 in. dia.

80.00 Set a post Cor. to Sec. 34 & 35, from which
a Beech 8 in. dia. bear N 64 E 31 lks. dist. of
a W. Oak 30 " " " S 5 W 29 " "
Over very broken land, timber Oak &c.

Met On S. boundary of Sec. 34, T10 N. R3 E.

40.00 Set the gr. Sec. post, from which
a W. Oak 12 in. dia. bear S 63 E 5 lks. dist. of
a Do 24 " " " S 10 E 3 " "

61.16 a Hickory 20 in. dia.

80.00 Set a post Cor. to Sec. 33 & 34, from which
a Sycamore 24 in. dia. bear S 53 E 4 lks. dist. of
a Hornbeam 8 " " " N 64 E 20 " "
Over Broken land, timber Oak, Beech &c.

T10N R3E 2^d Mer. Indiana

Met On S. boundary of Sec. 33, T10N R3E.
 0.10 a Brook 15 lks. wide Course N.W.
 40.00 Let the q^r. Sec. post, from which
 a Gum 13 in. dia. bear N 84 E 22 lks. dist. of
 a Beech — " " " N 25 W 23 " "
 50.59 a Hickory 30 in. dia.
 80.00 Let a post Cor. to Secs. 32 & 33, from which
 an Ash 12 in. dia. bear S 85 E 28 lks. dist. of
 a Hickory 10 " " " N 40 W 16 " "
 Over very broken land, timber Oak, Hickory &c.

Met On S. boundary of Sec. 32, T10N R3E.
 8.62 a Poplar 30 in. dia.
 40.00 Let the q^r. Sec. post, from which
 a Beech 12 in. dia. bear S 77 W 19 lks. dist. of
 a Gum 16 " " " N 59 E 12 " "
 80.00 Let a post Cor. to Secs. 31 & 32, from which
 an Oak 20 in. dia. bear S 39 E 27 lks. dist. of
 a do 20 " " " N 44 E 12 " "
 Over very broken land, timber Oak &c.

Met On S. boundary of Sec. 31, T10N R3E.
 40.00 Let the q^r. Sec. post, from which
 a Gum 6 in. dia. bear N 82 W 14 lks. dist. of
 an Oak 12 " " " S 82 E 19 " "
 73.14 Intersected the Range line between Ranges
 2 & 3 East, Township 9 & 10 North
 Over broken land, timber Oak &c.
 June 21st 1879

East Boundary var. 6° 45' E.
 North On E. boundary of Sec. 36, T10N R3E.
 4.50 a Creek 50 lks. wide Cr. S.W.
 Comp

Twp. R3E, 2^d Mer. Indiana

- 8.68 a Lycamore 24 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 12 in. dia. bear S 51° 13' E 6¹/₂ m. dist. of
 a Do. 6 " " " N 26° E 6 " "
 41.38 a W. Oak 48 " "
 80.00 Let a post Cor. to Sec. 25 & 36, from which
 a Beech 7 in. dia. bear N 35° E 5¹/₂ m. dist. of
 a Dogw. 7 " " " S 24° E 10 " "
 Over broken land, timber Oak, Hickory &c.

- North On E. boundary of Sec. 25, Twp. R3E
 20.00 a Creek 20¹/₂ m. wide Cr. S. M.
 40.00 Let the gr. Sec. post, from which
 a Hornbeam 12 in. dia. bear S 3° E 14¹/₂ m. dist. of
 a Do 6 " " " N 64° N 12 " "
 54.80 a Brook 15¹/₂ m. wide Cr. S. E.
 67.50 Same 15 " " " S. M.
 80.00 Let a post Cor. to Sec. 24 & 25, Twp. R3E.
 a W. Oak 18 in. dia. bear N 10° E 35¹/₂ m. dist. of
 a Hickory 10 " " " N 58° N 16 " "
 Over broken land, timber Oak, Hickory &c.

- North On E. boundary of Sec. 24, Twp. R3E.
 28.86 a Elm 20 in. dia.
 40.00 Let the gr. Sec. post, from which
 an Ironwood 10 in. dia. bear N 41° N 4¹/₂ m. dist. of
 a Sugar 6 " " " S 15° N 15 " "
 68.50 a Beech 14 " "
 80.00 Let a post Cor. to Sec. 13 & 24, from which
 a Poplar 14 in. dia. bear S 40° E 4¹/₂ m. dist.
 a Do 10 " " " N 57° E 5 " "
 Over broken land, timb. Oak, Hick. &c. and J. hury

T10N R3E 2^d Mer. Indiana

North On E. boundary of Sec. 13, T10N. R3E.
 24.22 a Spanish Oak 36 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Poplar 40 in. dia. - bear S35E 9 lks. dist. of
 a Dogwood 6 " " " N60W 12 " "
 40.52 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a Beech 8 in. dia. - bear N23E 2 lks. dist. of
 a Do 10 " " " S37W 18 " "
 Over broken land, timber Oak &c. undgth. River

North On E. boundary of Sec. 12, T10N. R3E.
 40.00 Set the gr. Sec. post, from which
 a Sugar 12 in. dia. - bear N57W 18 lks. dist. of
 a Do 8 " " " S83E 24 " "
 57.09 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 11 & 12, from which
 a Maple 14 in. dia. - bear N17E 19 lks. dist. of
 a Do 10 " " " N7W 18 " "
 Over broken land, timber Oak, Beech &c.

North On E. boundary of Sec. 1, T10N. R3E.
 29.50 a Beech 14 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Gum 30 in. dia. - bear N44E 7 lks. dist. of
 a Do 14 " " " S85W 11 " "
 80.54 Set a post Cor. to Township N. 10 & 11 N,
 Range N. 3 & 4 East, from which
 a Beech 18 in. dia. - bear N61W 7 lks. dist. of
 a Gum 20 " " " N38E 11 " "
 Over broken land, timber Oak, Beech &c.
 undgth. River. June 21st 1879

T10N R3E 2^d Mer. Indiana

387

North Boundary var. 6° 45' E

Met On S. boundary of Sec. 36, T10N R3E.

40.00 Let the q. Sec. post, from which

a Sugar 22 in. dia. bray S43 E 22 lks. dist. of

a Dogw. 6 " " " N8 W 31 " "

49.74 a Poplar 30 " "

80.00 Let a post Cor. to Sec. 35 & 36, T10N R3E, from which

a Beech 6 in. dia. bray S2 E 11 lks. dist. of

a Do 12 " " " N75 E 11 " "

Broken land, timber Beech, Sugar, Poplar &c.
undergth Spice.

Met On S. boundary of Sec. 35, T10N R3E.

40.00 Let the q. Sec. post, from which

a Beech 24 in. dia. bray S28 W 35 lks. dist. of

a Do 14 " " " S67 E 25 " "

67.93 a Walnut 18 " "

80.00 Let a post Cor. to Sec. 34 & 35, T10N R3E, from which

a Beech 14 in. dia. bray N48 E 4 lks. dist. of

a Do 8 " " " S55 W 19 " "

Broken land, timber Beech, Sugar, Walnut &c.
undergth Pawpaw & Spice

Met On S. boundary of Sec. 34, T10N R3E.

18.38 a Beech 20 in. dia.

40.00 Let the q. Sec. post, from which

a Beech 15 in. dia. bray S9 W 24 lks. dist. of

an Ironwood 6 " " " N46 E 11 " "

80.00 Let a post Cor. to Sec. 33 & 34, T10N R3E, from

which a Hickory 14 in. dia. bray N13 W 22 lks. dist. of

a Sugar 6 " " " S44 W 17 " "

Sand timber &c. same as on the last mile

T.M. R3 E. 2^d. Mer. Indiana

Nest On S. boundary of Sec. 33, T.M. R3 E.
 21.35 a Poplar 36 m. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 10 m. dia. branch S 4 W 20 lks. dist. of
 a Do 12 " " " S 27 E 21 " "
 64.82 a Beech 24 " "
 80.00 Let a post Cor. to Sec. 32 & 33, T.M. R3 E from which
 a Beech 20 m. dia. branch N 45 E 29 lks. dist. of
 a Do 12 " " " S 7 W 11 " "
 Broken land Good Soil, timber Beech,
 Sugar, Poplar &c.

Nest On S. boundary of Sec. 32, T.M. R3 E.
 34.93 a Beech 8 m. dia.
 37.50 a Branch 4 lks. wide Cr. S. W.
 40.00 Let the q. Sec. post, from which
 a Beech 6 m. dia. branch N 83 E 17 lks. dist. of
 an Elm 18 " " " S 33 W 17 " "
 52.50 an Oak 48 " "
 77.50 a Branch 10 lks. wide Cr. S. E.
 80.00 Let a post Cor. to Sec. 31 & 32, ^{T.M. R3 E.} from which
 a Beech 14 m. dia. branch S 7 W 12 lks. dist. of
 an Oak 14 " " " S 30 E 20 " "
 Broken land, timber Beech, Ash, Poplar,
 Oak &c. undugth. Spice.

Nest On S. boundary of Sec. 31, T.M. R3 E.
 15.32 a Beech 27 m. dia.
 17.00 a Branch 8 lks. wide Cr. North
 40.00 Let the q. Sec. post, from which
 a Beech 6 m. dia. branch S 71 E 18 lks. dist. of
 a Do 7 " " " S 55 W 23 " "
 50.10 a Beech 25 " "

389

T10N-10E, T. Mer. Indiana

- 68.00 a Creek 25 lks. wide C.P. N.W.
 74.75 Intersected Cor. of Township, 10 & 11 North,
 Range 2 & 3 E. let a post, from which
 a Hickory 15 in. dia. bran S 57 E 25 lks. dist. of
 a Do 12 " " " S 75 N 12 " "
 Land very broken, timber as above
-

- West Boundary var. E. 45.1 E.
 North On E. boundary of Sec. 36, T10N. R2E.
 40.00 let the q. Sec. post, from which
 a Beech 8 in. dia. bran N 19 W 17 lks. dist. of
 a Do 10 " " " S 22 W 9 " "
 48.50 a Creek 25 lks. wide C.P. N.W.
 58.80 an Elm 12 in. dia.
 80.00 let a post Cor. to Sec. 25 & 36, T10N. R2E, from which
 a Spanish Oak 36 in. dia. bran S 6 E 32 lks. dist. of
 a Beech 20 " " " N 50 E 15 " "
 Over broken land, timber Beech, Oak &c.
-

- North On E. boundary of Sec. 25, T10N. R2E.
 2.63 a Poplar 40 in. dia.
 40.00 let the q. Sec. post, from which
 a Hickory 18 in. dia. bran S 83 W 11 lks. dist. of
 a Beech 12 " " " S 55 E 15 " "
 50.00 a Beech 20 " "
 65.00 a Brook 15 lks. wide C.P. N.E.
 80.00 let a post Cor. to Sec. 24 & 25, T10N. R2E, from which
 a W. Oak 16 in. dia. bran S 73 E 41 lks. dist. of
 a Beech 8 " " " N 7 E 35 " "
 Over rolling land, timber Oak & Beech &c.
-

- North On E. boundary of Sec. 24, T10N. R2E.
 9.74 a Sugar 20 in. dia.

T10N. R3E. 2^d. Mer. Indiana

- 40.00 Let the g. Sec. post, from which
a Beech 14 in. dia. - bear S 21 E 9 lks. dist. of
a Do 10 " " " " N 60 W 20 " "
- 53.76 a Beech 12 " "
- 70.00 a Creek 50 lks. wide Course S.W.
- 80.00 Let a post cor. to Sec. 13 & 24, T10N. R2E, from which
a Beech 10 in. dia. - bear S 40 E 8 lks. dist. of
a Hickory 7 " " " " S 20 E 17 " "
Over broken land timber Oak, Beech &c

North On E. boundary of Sec. 13, T10N. R2E.

- 12.65 a Hickory 14 in. dia.
- 40.00 Let the g. Sec. post, from which
a ——— 14 in. dia. - bear S 3 E 30 lks. dist. of
a Beech 6 " " " " S 15 E 34 " "
- 53.00 an Ash 30 " "
- 67.74 a Brook 10 lks. wide Cr. N. E.
- 80.00 Let a post cor. to Sec. 12 & 13, T10N. R2E, from which
a Beech 11 in. dia. - bear S 17 E 23 lks. dist. of
a Do 9 " " " " S 14 E 25 " "
Over rolling land, timber, Beech, Sugar, Oak &c.

North On E. boundary of Sec. 12, T10N. R2E.

- 35.50 a Beech 20 in. dia.
- 40.00 Let the g. Sec. post, from which
a Beech 10 in. dia. - bear N 63 E 12 lks. dist. of
a Do — " " " " S 13 E 6 " "
- 80.00 Let a post cor. to Sec. 1 & 12, T10N. R2E, from which
a Beech 14 in. dia. - bear — 28 W 6 lks. dist. of
a Sugar 14 " " " " S 72 E 16 " "
Over rolling land, timber Beech, Sugar &c.

North On E. boundary of Sec. 1, T10N. R2E.

T10 N. R3 E. 2^d. Mer. Indiana

- 24.00 a Brook 5 lks. wide C.S. S.E.
 29.74 a Beech 20 in. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bear N 68 E 12 lks. dist. &
 a do 12 " " " South 37 " "
 52.59 a Beech 20 " "
 61.00 a Brook 7 lks. wide C.S. N.E.
 86.87 Let a post Cor. to Town 10 of N. North, Range 2
 of 3 East, from which
 a Hickory 15 in. dia. bear S 57 E 25 lks. dist. &
 a do 12 " " " S 75 W 12 " "
 Over Broken land, timber Oak, Beech, Sugar &
 Surveyed by John McDonald, L.S.

Com

Sub-division. Jan. 6th 1820

- North Between Sec. 35 & 36, T10 N. R3 E.
 24.50 a W. Oak 17 in. dia.
 40.00 Let the q. Sec. post, from which
 a Chest. Oak 11 in. dia. bear South 50 lks. dist. &
 a Gum 10 " " " S 73 W 23 " "
 45.00 a Stream 50 lks. wide C.S. N 50 E.
 60.00 a W. Oak 26 in. dia.
 68.50 a Brook 12 lks. wide C.S. S 30 E.
 80.00 Let a post Cor. to Sec. 25, 26, 35 & 36, from
 which a W. Oak 15 in. dia. bear S 62 E 45 lks. dist. &
 a do 14 " " " S 79 W 29 " "
 Land hilly & poor, timber W & B. Oak, G. Oak
 & Hickory, undugth. Dogwood & Ironwood

- East On Rand^m between Sec. 25 & 36, T10 N. R3 E.
 40.00 Let temp. q. Sec. post
 79.20 Intersected the E. boundary 143 lks. S. of post
 Land poor & hilly, timber W & B. Oak, and

T10. N. R3 E. 2^d. Mer. Indiana

Hickory, undugth Dogwood & Ironwood

Nest Connected between Sec^s. 25 & 26, T10. N. R3 E.
 39.60 Set the gr. Sec. post at average dist. from which
 a W. Oak 13 in. dia. bear S80 W19 lks. dist. &
 a Hickory 15 " " " N82 E35 " "
 79.20 to Sec. Corner.

North Between Sec^s. 25 & 26, T10. N. R3 E.

13.25 a W. Oak 30 in. dia.

40.00 Set the gr. Sec. post, from which
 a W. Oak 10 in. dia. bear S84 E14 lks. dist. &
 a Dogwood 5 " " " N75 W30 " "

60.60 a W. Oak 14 " "

80.00 Set a post Cor. to Sec^s. 23, 24, 25 & 26, from which
 a Beech 11 in. dia. bear N52 W16 lks. dist. &
 a Dogwood 6 " " " N48 E21 " "
 Land hilly & poor, timber W & W. Oak & Hickory
 undugth Dogwood, Ironwood & Hickory

East On Rand^m. between Sec^s. 24 & 25, T10. N. R3 E.

38.50 at Brook 10 lks. wide Course South

40.00 Set temp^y gr. Sec. post

79.94 Intersected the E. boundary at the post
 Land hilly & poor, timber W & W. Oak & Hickory
 undugth Dogwood, Ironwood & Hickory

Nest Connected between Sec^s. 24 & 25, T10. N. R3 E

39.97 Set gr. Sec. post at average dist. from which
 a W. Oak 24 in. dia. bear East 42 lks. dist. &
 a W. Oak 28 " " " S87 W60 " "

79.94 to Sec. Corner.

T10N R3E 2^d Mer. Indiana

North / Between Sec. 23 & 24, T10N. R3E.

21.50 a Gum 12 in. diam.

40.00 Set the q. Sec. post, from which
a Sugar 13 in. diam. bears S 52 W 25 lks. dist. &
a W. Oak 14 " " " S 87 E 20 " "

65.50 a Sugar 10 " "

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
a W. Oak 12 in. diam. bears N 37 W 5 lks. dist. &
a Do 12 " " " S 54 E 47 " "
Land hilly & poor, timber W. Oak, Beech
& Hickory, undergth Logwood & Ironwood

East On Rand^m between Sec. 13 & 24, T10N. R3E.

40.00 Set temp. q. Sec. post

42.50 a Brook 8 lks. wide Course S 10 E.

79.80 Intersected the E. boundary 27 lks. S. of post.
Land hilly & poor, W. Oak, Beech & Hickory
undergth Logwood & Ironwood

West Corrected between Sec. 13 & 24, T10N. R3E.

39.90 Set q. Sec. post at average dist. from which
a W. Oak 6 in. diam. bears N 83 E 13 lks. dist. &
a Do 9 " " " S 21 E 9 " "

79.80 to Sec. Corner. Jan. 7th 1890

North / Between Sec. 13 & 14, T10N. R3E.

18.10 a W. Oak 11 in. diam.

40.00 a Beech 5 in. diam. Cor. from which
a W. Oak 7 in. diam. bears S 35 E 12 lks. dist. &

49.50 a Brook 6 lks. wide Cr. S 75 W

56.60 a Hickory 14 in. diam.

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
a Gum 18 in. diam. bears S 65 W 18 lks. dist. &

Twp. R3E, 2^d. Mer. Indiana

a P. Oak 10 in. dia. bran N 15 E 18 lks. dist
 Sand hilly & poor, timber W. Oak, Hickory
 Beech, Poplars, undg.th Ironwood & Dogw.

East On Rand^m betwⁿ Secs. 12 & 13, T10N. R3E

40.00 Set temp^l. g^l. Sec. post

80.30 Intersected the East boundary 54 lks. S. of post
 Sand hilly & poor, timber W. & P. Oak & Hickory, beech,
 undg.th Dogwood & W. Oak.

West Connected between Secs. 12 & 13, T10N. R3E.

40.15 Set g^l. Sec. post at average dist. from which
 a W. Oak 13 in. dia. bran S 37 E 17 lks. dist. of
 a Elm 26 " " " N 45 W 66 " "

80.30 to Sec. Corner.

North Between Secs. 11 & 12, T10N. R3E.

18.60 a Beech 15 in. dia.

23.00 a Brook 30 lks. wide Cr. S 12 W.

40.00 Set the g^l. Sec. post, from which
 a Poplar 18 in. dia. bran N 62 W 26 lks. dist. of
 a Sugar 12 " " " N 12 E 10 " "

60.20 a Sugar 13 " "

80.00 Set a post Cor. to Secs. 1, 2, 11 & 12, from which
 a Beech 9 in. dia. bran S 2 E 59 lks. dist. of
 a Do 15 " " " N 1 E 20 " "
 Sand hilly soil 2^d. rate, timber Poplar, Beech & W.
 Oak, undg.th Dogwood & Ironwood

East On Rand^m betwⁿ Secs. 1 & 12, T10N. R3E.

28.00 a Brook 20 lks. wide Cr. S 20 W.

40.00 Set temp^l. g^l. Sec. post

80.00 Intersected the E. boundary 47 lks. N. of post

West-123 E. 2nd Mer. Indiana

Land hilly Soil 2nd rate, timber W. Oak, Beech,
Poplar Hickory; underg.th Ironwood & Logwood

West Corrected between Sec. 1 & 2, T10 N. R3 E.
40.00 Set a post at avg. dist. for q. Sec. Cor. from which
a W. Oak 13 m. dist. bear South 44th dist. of
a Do 6 " " " N68 W 25 " "
80.00 to Sec. Corner

North Between Sec. 1 & 2, T10 N. R3 E.
30.30 a Hickory 7 m. dist.
40.00 Set the q. Sec. post, from which
a Beech 10 m. dist. bear S53 W 7th dist. of
a Hickory 6 " " " N44 E 26 " "
52.00 at Beech 26 " "
80.75 Intersected the N. boundary 14th m. W. of post.
Set a post Cor. to Sec. 1 & 2, T10 N. R3 E, from which
a Sugar 6 m. dist. bear S52 E 28th dist. of
a Do 8 " " " N56 W 12 " "
Unseen 2nd rate land, timber W. Oak, Sugar & Beech,
underg.th Logwood & Ironwood

January 8th 1820

North Between Sec. 34 & 35, T10 N. R3 E.

11.85 a Sugar 7 m. dist.

40.00 Set the q. Sec. post, from which
a W. Oak 30 m. dist. bear N58 W 9th dist. of
a Beech 8 " " " N89 E 14 " "

61.50 a Beech 14 " "

72.00 a Brook 6th m. wide Course N15 E.

80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
a W. Oak 12 m. dist. bear N10 E 17th dist. of
a Hickory 10 " " " N87 W 20 " "

T10 N. R3 E. 2^d. Mer. Indiana

Land hilly & poor 2^d rate, timber Sugar,
 Beech & W. Oak, undergth Dogwood & Ironwood

East On Rand^m. betwⁿ Sec^s. 26 & 35, T10 N. R3 E.

1.30 a Brook 6 lks. wide Cr. N15 E.

14.50 a do 10 " " " N60 E.

40.00 Set temp^y. g^r. Sec. post

44.50 a stream 40 lks. wide Cr. S50 E.

69.50 a Brook 6 " " " S40 E.

80.75 Intersected the N & S. line 12 lks. S. of post
 Land hilly & poor, timber W. Oak, B. Oak & Hickory,
 undergth Dogwood & Ironwood.

West Corrected between Sec^s. 26 & 35, T10 N. R3 E.

40.37 1/2 Set g^r. Sec. post at average dist. from which
 a Beech 14 in. diam. bran S34 W 3 lks. dist. &
 a Hickory 10 " " " N4 E 31 " "

80.75 to Sec. Cor.

North Between Sec^s. 26 & 27, T10 N. R3 E.

5.50 a Brook 10 lks. wide Cr. S80 E.

17.00 a Hickory 13 in. diam.

40.00 Set the g^r. Sec. post, from which

a Beech 24 in. diam. bran S7 W 50 lks. dist. &

a Hickory 15 " " " N11 E 55 " "

55.60 a B. Oak 40 " "

80.00 Set a post Cor. to Sec^s. 22, 23, 26 & 27, from which

a Beech 10 in. diam. bran N3 E 6 lks. dist. &

a do 5 " " " N9 W 28 " "

Uneven 2^d. rate land, timber, Beech, W. & B. Oak
 & Poplar, undergth Dogwood & Ironwood

East On Rand^m. between 23 & 26, T10 N. R3 E.

T10 N - R3 E, 2^d Mer. Indiana40.00 Let temp^y. q^r. Sec. post

41.50 a Stream 40 lks. wide Cr. S30 E.

80.20 Intersected the N & S. line 18 lks. N. of post
Uneven 2^d. rate Land, timber, W. Oak, Sugar, beech,
&c. underg^d. Hogwood & IronwoodMist Corrected between Sec^s. 23 & 2640.10 Let the q^r. Sec. post at average dist. from which
a Gum 10 in. dia. bears N21 E 22 lks. dist. of
a W. Walnut 6 " " " S55 E 7 " "

80.20 to Sec. Corner

North Between Sec^s. 22 & 23, T10 N. R3 E.

17.20 a W. Oak 24 in. dia.

40.00 Let the q^r. Sec. post, from which
a Beech 10 in. dia. bears S56 E 35 lks. dist. of
a do 14 " " " N53 W 18 " "

66.70 a W. Oak 12 " "

80.00 Let a post Cor. to Sec^s. 14, 15, 22 & 23, from which
a Beech 6 in. dia. bears N16 W 18 lks. dist. of
a W. thorn 6 " " " S7 W 13 " "
Uneven 2^d. rate land, timber W & W. Oak, Poplar,
Sugar & Beech, underg^d. Hogwood & Ironwood

January 13, 1820

East On Rand^m. between Sec^s. 14 & 23, T10 N. R3 E.

0.05 a Brook 6 lks. wide S40 W

40.00 Let temp^y. q^r. Sec. post

55.00 a Stream 35 lks. wide Cr. S5 W

80.60 Intersected the N & S. line 24 lks. S. of post
Uneven 2^d. rate Land, timber Sugar, Beech, W. Oak
& Hickory, underg^d. Hogwood &cMist On true line between Sec^s. 14 & 23, T10 N. R3 E.

T10 N. R3 E. 2. Mer. Indiana

- 40.30 Set gr. Sec. post at average dist. from which
 a Beech 6 in. dia. bear S42°W18 lbs. dist. 6
 a Do 15 " " " N64°W9 " "
 80.60 to Sec. Corner.

- North Between Sec. 14 & 15, T10 N. R3 E.
 1.50 a Brook 6 lbs. wide Cr. S20 E.
 22.30 a W. Oak 20 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Sugar 12 in. dia. bear S66 E 20 lbs. dist. 6
 a Do 9 " " " N66°W14 " "
 58.30 a Brook 6 lbs. wide Cr. S40 E.
 62.00 a W. Oak 16 in. dia.
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a W. Oak 10 in. dia. bear N11 E 26 lbs. dist. 6
 a Gum 16 " " " S75°W4 " "
 Uneven D. rate land, timber Poplar, W. Oak, Sugar
 & Beech, underg. Dogwood &c.

- East On Rand. between Sec. 11 & 14, T10 N. R3 E.
 17.80 a Brook 6 lbs. wide Cr. S15 E.
 40.00 Set temp. gr. Sec. post
 48.00 a Brook 20 lbs. wide Cr. S5 E.
 67.00 a Do 30 " " " South
 80.32 Intersected the N & S. line at the Corner
 Land uneven & D. rate, timber Sugar, Beech
 W. Oak, Poplar &c. underg. Dogwood & Spice

- West Connected between Sec. 11 & 14, T10 N. R3 E.
 40.16 Set gr. Sec. post at average dist. from which
 a Beech 18 in. dia. bear N26°W34 lbs. dist. 6
 a W. Walnut 16 " " " S74 E 12 " "
 80.32 to Sec. Corner

Town R3E. 2^d Mer. Indiana

January 14th 1820

North Between Sec. 10 & 11, T10N. R3E East

24.50 a Hickory 8 in. dia.

40.00 Let the gr. Sec. post, from which

a Beech 18 in. dia. bears S51W34 1/2 lbs. dist. 8

a Do 7 " " " N42E21 " "

45.00 a Brook 6 lbs. wide Cr. East

69.00 a Do 20 " " " S80E

80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which

a Sugar 6 in. dia. bears S26E24 lbs. dist. 8

a Beech 12 " " " N23W18 " "

Land uneven & 2^d rate, timber, Poplar, W. Oak

Sugar & Beech, undergth Hogwood

East On Random betwⁿ Sec. 2 & 11, T10N. R3E.

15.00 a Brook 10 lbs. wide Cr. NW E.

40.00 Let temp^y. gr. Sec. gr. Sec. post

53.50 a Brook 10 lbs. wide Cr. S5W

80.00 Intersected the N. & S. line at the Corner

Uneven 2^d rate this mile through a windfall

West Corrected betwⁿ Sec. 2 & 11, T10N. R3E.

40.00 Let gr. Sec. post at average dist. from which

a Hogwood 4 in. dia. bears N62E67 lbs. dist. 8

a Beech 7 " " " N42W40 " "

80.00 to Sec. Corner.

North Between Sec. 2 & 3, T10N. R3E.

40.00 Let the gr. Sec. post, from which

a Beech 16 in. dia. bears S56E7 lbs. dist. 8

a Do 13 " " " N85W37 " "

54.73 a Beech 16 " "

80.75 Intersected the N. boundary 199 lbs. N. of post

W. N. R 3 E. 2^d. Mer. Indiana

Set a post Cor. to Sec. 2 & 3, from which
a Beech 14 in. dia. beam S 33^W 7 lks. dist. of
a Walnut 8 " " " N 42^E 17 " "
Uneven 2^d. rate land, part windfall, timber
Poplar, Beech, W. Walnut &c.

January 15th 1820

North & between Sec. 33 & 34, T10 N. R 3 E.

0.50 a Brook 15 lks. wide C. S. N 10 E.

1.50 Same 15 " " " N 50^W

15.95 a Sugar 9 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 7 in. dia. beam S 60^E 7 lks. dist. of
a Gum 18 " " " S 57^W 24 " "

53.00 a W. Oak 30 " "

80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 5 in. dia. beam N 73^E 8 lks. dist. of
an Ironw. 5 " " " N 48^W 30 " "
Uneven 2^d. rate land, timber Poplar, Sugar & Beech
undergth. Dogwood &c

East On Landⁿ. between Sec. 27 & 34, T10 N. R 3 E.

6.00 a Brook 7 lks. wide C. S. N 40^W

8.50 the same 7 " " " S 85^W

40.00 Set temp. q. Sec. post

80.12 Intersected the N & S line 150 lks. S. of post
Land uneven 2^d. rate, timber W. Oak, Beech
Sugar & Poplar, undergth. Dogwood & Ironwood

West Corrected between Sec. 27 & 34, T10 N. R 3 E.

40.06 Set q. Sec. post at average dist. from which
a Beech 6 in. dia. beam N 44^E 24 lks. dist. of
a Do 12 " " " S 44^W 13 " "

Plot N R 3 E. 2^d. Mer. Indiana

401

80.12 1/2 to Section Corner

North / Between Sec. 27 & 28, Plot N R 3 E.

4.00 a Brook 7 lks. wide Cr. N 60 W

10.30 a Beech 14 in. dia.

40.00 Set the gr. Sec. post, from which

a Sugar 9 in. dia. bran S 53 E 34 lks. dist. &

a do 12 " " " N 58 W 6 " "

50.90 a W. Oak 30 " "

69.00 a Brook 6 lks. wide Cr. N 70 W.

80.00 a Beech 8 ^{in. dia.} Cor. to Sec. 21, 22, 27 & 28, from which

a W. Oak 11 in. dia. bran S 85 W 28 lks. dist. &

Sand uneven & 2^d rate, timber W. Oak, Beech

Sugar & Poplar, undng.th Logw.^d Ironwood

East Out Land^m. between Sec. 22 & 27, Plot N R 3 E.

30.20 a Brook 6 lks. wide Cr. S 30 W

40.00 Set temp. gr. Sec. post

80.00 Intersected the N & S. line 10 lks. S. of post

Sand uneven & 2^d rate, timber W. Oak, Beech

& Sugar, undng.th Ironwood & Logwood

West Corrected between Sec. 22 & 27, Plot N R 3 E.

40.00 Set gr. Sec. post at average dist. from which

a Hickory 7 in. dia. bran S 71 W 23 lks. dist. &

a do 16 " " " N 64 E 21 " "

80.00 to Sec. Corner.

North / Between Sec. 21 & 22, Plot N R 3 E.

29.00 a Hickory 18 in. dia.

40.00 Set the gr. Sec. post, from which

a Beech 13 in. dia. bran S 52 E 14 lks. dist. &

a Gum 18 " " " S 38 W 23 " "

T10N R3E 2nd Mer. Indiana

68.18 a Beech 7 in. dia.

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 7 in. dia. bears N 67° W 29 lks. dist. of
a Do 7 " " " S 89° E 23 " "
Sand uneven & 2nd rate, timber W. Oak, Poplar
& Beech, undergth Logwood & Ironwood

East On Rand^m between Sec. 15 & 22, T10N R3E.

40.00 Set temp^y. g. Sec. post

80.00 Intersected the N of S. line 73 lks. N. of Corner.
Sand uneven & 2nd rate, timber Poplar, Beech
W. Oak & Sugar, undergth Logwood & Spruce

West Corrected between Sec. 15 & 22, T10N R3E.

40.00 Set the g. Sec. post at average dist. from which
a Beech 6 in. dia. bears N 22° E 18 lks. dist. of
a Do 6 " " " S 22° W 2 " "

80.00 to Sec. Corner. Jan. 17th 1820

North Between Sec. 15 & 16, T10N R3E.

22.00 a Beech 12 in. dia.

40.00 Set the g. Sec. post, from which
a Sugar 13 in. dia. bears S 29° W 17 lks. dist. of
a Beech 5 " " " N 24° E 28 " "

42.25 a Brook 8 lks. wide C. L. S 30° W

49.15 a Gum 16 in. dia.

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
a Sugar 6 in. dia. bears N 73° E 20 lks. dist. of
a Beech 12 " " " N 61° W 7 " "
Sand uneven & 2nd rate, timber Poplar, W. Oak
Sugar & Beech, undergth Logwood & Ironwood

East On Rand^m between Sec. 10 & 15, T10N R3E.

Mo. R3 E2nd. Mer. Indiana

403

40.00 Set temp. q. Sec. post

80.72 Intersected the N & S. line 33 lks. S. of post
Sand uneven & D.^g. rate, timber W. Oak, Poplar
Sugar & Beech, underg.^g. Logwood & Ironwood

West Connected between Sec. 10 & 15, T10 N. R3 E.

40.36 Set q. Sec. post at average dist. from which
a Beech 12 mi. diam. beam N 86 E 30 lks. dist. of
a Sugar 7 " " " S 86 W 70 " "

80.72 to Sec. Corner. Jan'y. 22nd. 1895

North / Between Sec. 9 & 10, T10 N. R3 E.

21.25 a Beech 11 mi. diam.

38.00 a Brook 6 lks. wide C. S. 15 W

40.00 Set the q. Sec. post, from which
a Beech 20 mi. diam. beam S 12 E. 47 lks. dist. of
a Gum 24 " " " S 33 W 29 " "

67.60 a Maple 16 " "

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 14 mi. diam. beam N 28 E 4 lks. dist. of
a Poplar 18 " " " S 32 W 17 " "
Sand uneven & D.^g. rate, timber Poplar, Sugar
& Beech, underg.^g. Spice &c.

East On Land^g. betwⁿ Sec. 3 & 10, T10 N. R3 E.

45.00 Set temp. q. Sec. post

80.20 Intersected the N & S. line 43 lks. N. of post
Sand uneven & D.^g. rate, timber Poplar, W. Oak
Beech & Sugar, underg.^g. Logwood & Spice

West Connected between Sec. 3 & 10, T10 N. R3 E.

40.10 Set q. Sec. post at average dist. from which
a Poplar 22 mi. diam. beam S 8 E. 58 lks. dist. of

West R3 E. 2^d. Mer. Indiana

a Beech 19 in. diam. beam N47 W 58 lks. dist. of
80.25 to Sec. Corner.

North Between Secs. 36 & 4, T10 N. R3 E.

19.00 a Beech 20 in. diam.

40.00 At the q. Sec. post, from which

a Sugar 12 in. diam. beam S55 W 53 lks. dist. of

a Beech 18 " " " N86 E 20 " "

61.70 a Beech 8 " "

81.50 Intersected the N. boundary 200 lks. N. of post.

At a post, Cor. to Secs. 36 & 4, from which

a Beech 24 in. diam. beam N10 E 38 lks. dist. of

a Poplar 24 " " " S29 W 31 " "

Land uneven & 2^d rate, timber Poplar, Beech,
& Sugar, undugth Spruce.

January 24th 1820

North Between Secs. 33 & 32, T10 N. R3 E.

29.00 a Chestnut Oak 16 in. diam.

40.00 a Beech 13 in. diam. Corner, from which

a W. Walnut 16 in. diam. beam N14 E 46 lks. dist. of

58.50 a Brook 25 lks. wide Cr. Nest

59.65 an Elm 12 in. diam.

80.00 At a post Cor. to Secs. 28, 29, 32 & 33, from which

a Sugar 18 in. diam. beam N64 E 21 lks. dist. of

a Beech 24 " " " S16 W 7 " "

Sand hilly & poor, timber W. Oak, undugth.
Dogwood & W. Oak.

East On Ran^{dm} between Secs. 28 & 33, T10 N. R3 E.

40.00 At temp. q. Sec. post

40.10 a Brook 25 lks. wide Cr. S50 W

80.00 Intersected the N & S line 10 lks. S. of post

St. M. R3 E. 2^d. Mer. Indiana

405

1st 1/2 mile level 2^d rate - last 1/2 mile
hilly & poor, timber Poplar, Ash, Beech &
Sugar, undergth Spice

West Connected between Secs. 28 & 33, St. M. R3 E.
40.00 Set the gr. Sec. post at average dist. from which
an Elm 4 in. diam. bran N 61 E 27 lks. dist. &
a do 6 " " " S 80 W 56 " "
80.00 to Sec. Corner

North Between Secs. 28 & 29, St. M. R3 E.
21.86 a Beech 24 in. diam.
29.50 at Brook 6 lks. wide Cr. S 50 W
40.00 Set the gr. Sec. post, from which
a Beech 24 in. diam. bran S 9 1/2 E 33 lks. dist. &
a do 7 " " " N 29 W 15 " "
63.20 a Sugar 19 " "
80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
a Beech 7 in. diam. bran S 83 E 23 lks. dist. &
a Gum 15 " " " N 77 W 38 " "
Land uneven & 2^d rate, timber, Sugar, Beech,
& Poplar, undergth Spice

East On Land 9^m between Secs. 21 & 28, St. M. R3 E.
40.00 Set temp. gr. Sec. post
60.00 a Brook 20 lks. wide Cr. S 10 W.
80.00 Intersected the N. & S. line, at the Corner
Land uneven 2^d rate, timber Beech, Sugar &
Poplar, undergth Spice &c.

West Connected between Secs. 21 & 28, St. M. R3 E.
40.00 Set the gr. Sec. post at average dist. from which
an Ash 4 in. diam. bran N 75 E 21 lks. dist. &

Town R3E, 2^d Mer. Indiana

a Beech 8 in. dia. - bran S 73 W 42 lks. dist. of
80.00 to Sec. Corner.

North Between Secs. 20 & 21, T10 N. R3 E.

33.00 a b. Oak 30 in. dia.

40.00 At the gr. Sec. post, from which

a Beech 14 in. dia. - bran S 81 E. 34 lks. dist. of

a No 14 " " " N 84 W 8 " "

46.20 a Poplar 26 in. dia.

76.00 a Brook 6 lks. wide cr. N 60 E.

80.00 a Beech 15 in. dia. - Cor. to Secs. 16, 17, 20 & 21, from
which a Beech 7 in. dia. - bran S 12 W 19 lks. dist.

Uneven 2^d rate Land, timber Poplar, Sugar
& Beech, undergth Spruce

East On Rand 9^m between Secs. 16 & 21, T10 N. R3 E.

8.10 a Brook 6 lks. wide cr. N 60 E.

18.10 Same 6 " " " S 50 E.

40.00 At temp. gr. Sec. post

50.50 a Brook 15 lks. wide cr. South

80.00 Intersected the N & S. line 43 lks. S. of post.
Land uneven 2^d rate, timber Poplar, Sugar
& Beech, undergth Spruce

West Correlated between Secs. 16 & 21, T10 N. R3 E.

40.00 At the gr. Sec. post, at average dist. from which

a Poplar 48 in. dia. - bran N 76 E 9 lks. dist. of

a Beech 13 " " " N 89 W 26 " "

80.00 to Sec. Corner.

January 25th 1820

North Between Secs. 16 & 17, T10 N. R3 E.

9.60 a Brook 6 lks. wide run S 50 E.

19.67 a Hickory 15 in. dia.

T10N. R3E. S2. Mer. Indiana

- 36.50 at Brook 6 lks. wide run S50 E.
 40.00 at the q. Sec. post, from which
 a Beech 5 in. dia. bran N77 E 20 lks. dist. of
 a Do 11 " " " South 9 " .
 50.70 a Sugar 18 " "
 80.00 at a post, Cor. to Secs. 8, 9, 16 & 17, from which
 a Beech 8 in. dia. bran S22½ E 25 lks. dist. of
 a Gum 30 " " " S81 W 22 " "
 Uneven 2^d rate land, timber Poplar, Sugar
 & Beech, undergth Spruce.

- East On Land betwⁿ Secs. 9 & 16, T10N. R3E.
 40.00 at temp^y q. Sec. post
 43.50 at Brook 10 lks. wide E. S5 E.
 64.50 a Do 8 " " " S10 W
 79.68 Intersected the N & S line 36 lks. N. of post
 Land uneven 2^d rate, timber Poplar, Ash,
 Sugar & Beech, undergth Spruce &c.

- West Corrected between Secs. 9 & 16, T10N. R3E.
 39.84 at q. Sec. post, from which
 a Sugar 14 in. dia. bran S10 W 1 lks. dist. of
 a Do 4 " " " N24 E 6 " .
 79.68 to Sec. Corner

- North Between Secs. 8 & 9, T10N. R3E.
 23.50 a Beech 24 in. dia.
 40.00 at the q. Sec. post, from which
 a Sugar 11 in. dia. bran N57 E 23 lks. dist. of
 a Beech 12 " " " S83 W 35 " "
 52.10 a Gum 10 " "
 80.00 at a post Cor. to Secs. 4, 5, 8 & 9, from which
 a Beech 10 in. dia. bran S50 E 49 lks. dist. of

Town R3 E. T^h. Mer. Indiana

a Beech 24 in. dia. brans N56W 10 lks. dist. of
Land uneven 2^d rate, timber Poplar, Sugar
W. Oak & Beech, undergth Spice & Dogwood

East On Land 8th between Sec. 4 & 9, T10 N. R3 E.

40.00 At temp. of Sec. post

79.90 Intersected the N. & S. line 52 lks. N. of post.
Land uneven 2^d rate, timber Poplar, W. Oak
Sugar & Beech, undergth Spice & Dogwood

West Corrected between Sec. 4 & 9, T10 N. R3 E.

39.95 At the of Sec. post, from which

a Beech 14 in. dia. brans S89 E 36 lks. dist. of

a No 5 " " " N47 W 16 " "

79.90 to Sec. Corner.

North Between Sec. 4 & 5, T10 N. R3 E.

26.50 a Beech 16 in. dia.

31.50 a Brook 7 lks. wide E. & N. 60 W.

40.00 At the of Sec. post, from which

a Beech 6 in. dia. brans S38 W 2 lks. dist. of

a No 5 " " " N27 E 28 " "

56.60 a Beech 6 " "

83.25 Intersected the N. boundary 205 lks. N. of
the post At a post Cor. to Sec. 4 & 5, from which
a Poplar 18 in. dia. brans S31 W 15 lks. dist. of
a Sugar 12 " " " N9 W 6 " "
Land uneven 2^d rate, timber W. Oak, Poplar,
Sugar & Beech, undergth Spice.

Jan. 28th 1820

North Between Sec. 31 & 32, T10 N. R3 E.

22.30 a Chest. Oak 13 in. dia.

Town R3 E. 2nd Mer. Indiana

- 40.00 Let the q. Sec. post, from which
a Beech 5 mi. dia. bear S23 E 27 lks. dist. of
a Hickory 10 " " " N26 W 7 " "
- 52.50 a Brook 30 lks. wide Cr. N70 W
- 66.65 a Beech 17 mi. dia.
- 80.00 Let a post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 9 mi. dia. bear N16 E 36 lks. dist. of
a Do 30 " " " N34 W 24 " "
1st 1/2 mile uneven 2nd rate, timber h. B. Oak,
Beech & Sugar, undergth Dogwood & Spice

East On Rand. between Sec. 29 & 32, T. 10 N. R. 3 E.

- 14.00 a Brook 8 lks. wide Cr. S30 W.
- 40.00 Let temp. q. Sec. post
- 44.40 a Brook 6 lks. wide Course N15 W.
- 73.50 a Do 6 " " " South
- 79.32 Intersected the N & S. line 106 lks. N. of post
Land uneven 2nd rate, timber Beech & Sugar
undergth Spice.

West On true line between Sec. 29 & 32 T. 10 N. R. 3 E.

- 39.66 Let q. Sec. post at average dist. from which
a Sugar 7 mi. dia. bear S89 E 53 lks. dist. of
a Do 7 " " " N85 W 35 " "
- 79.32 to Sec. Corner.

West Between Sec. 30 & 31, T. 10 N. R. 3 E.

- 21.50 a Gum 20 mi. dia.
- 36.50 a Brook 6 lks. wide Cr. S15 W.
- 40.00 Let the q. Sec. post, from which
a Beech 8 mi. dia. bear S60 E 16 lks. dist. of
a Sugar 12 " " " N74 W 14 " "
- 54.50 a Sugar 18 " "

Mo. N. R 3 E, 2^d. Mo. Indiana

72.50 Intersected the W. boundary 32 lks. N. of post
 let a post Cor. to Sec. 30 & 31, from which
 a Beech 10 in. dia. beam N 62 E. 17 lks. dist. of
 a do 7 " " " S 29 1/2 W 20 " "
 Sand uneven 2^d rate, timber Sugar, Beech &
 Gum, underg. th Spice.

North Between Sec. 29 & 30, Mo. N. R 3 E.
 20.33 a Beech 12 in. dia.
 40.00 a Beech 4 in. dia. Cor. from which
 a Beech 7 " " beam N 38 W 6 lks. dist. of
 80.00 let a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Sugar 16 in. dia. beam S 66 W 5 lks. dist. of
 a Beech 11 " " " N 86 1/2 E 35 " "
 Sand uneven 2^d rate, timber Poplar, Sugar
 & Beech, underg. th Spice

East On Random betw. Sec. 20 & 29, Mo. N. R 3 E.
 8.60 a Brook 6 lks. wide Cr. South
 40.00 let temp. g. Sec. post
 73.50 a Brook 8 lks. wide Cr. S 5 W.
 80.00 Intersected the N. & S. line 50 lks. N. of post.
 Sand uneven 2^d rate, timber Poplar, Sugar
 & Beech, underg. th Spice

West Corrected between Sec. 20 & 29, Mo. N. R 3 E.
 40.00 let the g. Sec. post, at a g. dist. from which
 a Beech 6 in. dia. beam N 53 W 16 lks. dist. of
 a do 20 " " " N 60 E 10 " "
 80.00 to Sec. Corner. Jan. 28th 1820

West Between Sec. 19 & 30, Mo. N. R 3 E.
 22.00 a Beech 13 in. dia.

Town R3E, 2^d Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bran N 76 E 19 lks. dist. of
a Sugar 13 " " " N 81 W 10 " "
56.90 a Beech 14 " "
62.00 a Brook 8 lks. wide C.S. N 45 W
72.50 Intersected the N. boundary 80 lks. N. of post
Set a post Cor. to Sec. 17 of 20, from which
a Beech 6 in. dia. bran N 5 W 8 lks. dist. of
a W. Oak 26 " " " N 19 E 16 " "
Sand level 2^d rate, timber W. Oak, Hickory
Sugar, Beech &c. undergth Spruce.
-

North Between Sec. 17 of 20, T10N. R3E.

- 17.66 a W. Oak 18 in. dia.
40.00 Set the q. Sec. post, from which
a Gum 24 in. dia. bran N 83 E 14 lks. dist. of
a Beech 7 " " " N 60 W 13 " "
53.50 a Beech 26 " "
80.00 Set a post Cor. to Sec. 17, 18, 19 of 20, from which
a Beech 7 in. dia. bran North 9 lks. dist. of
a Do 14 " " " N 72 E 20 " "
Sand level 2^d rate, timber W. Oak, Poplar
Sugar & Beech, undergth Spruce
-

East On Land 8^m between Sec. 17 of 20, T10N. R3E.

- 40.00 Set temp^y q. Sec. post
80.36 Intersected the N & S. line 10 lks. N. of the post
Sand uneven 2^d rate, timber Poplar, Sugar & Beech
undergrowth, Spruce.
-

West Cor. to Sec. 17 of 20, T10N. R3E.

- 40.18 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bran S 77 W 19 lks. dist. of

W. N. R. 3 E. 2^d. Mer. Indiana

a Beech 5 mi. dia. bran N 62 E 5 lks. dist.
80.36 to Sec. Corner.

West 1 Between Secs. 18 & 19, T. 10 N. R. 3 E.

16.12 a Beech 28 mi. dia.

40.00 Let the q. Sec. post, from which
a Poplar 7 mi. dia. bran N 63 E 11 lks. dist. of
a Beech 5 " " " N 77 W 12 " "

59.20 a h. Oak 18 " "

65.52 a Brook 25 lks. wide Cr. S 30 W.

72.75 Intersected the N. Boundary 125 lks. N. of post
Set a post Cor. to Secs. 18 & 19, from which
a Beech 13 mi. dia. bran N 60 E 37 lks. dist. of
a Sycamore 40 " " " S 31 W 7 " "
Land uneven 2^d. rate, timber Poplar, Sugar
& Beech, underg^d. Ironwood & Spice

North 1 Between Secs. 17 & 18, T. 10 N. R. 3 E.

24.20 a Beech 22 mi. dia.

40.00 Let the q. Sec. post, from which
a Beech 6 mi. dia. bran S 31 W 13 lks. dist. of
a do 30 " " " North 5 " "

53.70 a Beech 12 " "

56.00 a Brook 12 lks. wide Cr. S 60 W.

80.00 Let a post Cor. to Secs. 7, 8, 17 & 18, from which
a h. Oak 30 mi. dia. bran N 29 W 30 lks. dist. of
a Sugar 12 " " " S 25 E 22 " "
Land hilly 2^d. rate, timber W. Oak, Sugar &
Beech, underg^d. Ironwood & Spice

East 1 Between Secs. 8 & 17, on Plandon

40.00 Let temp. q. Sec. post

80.42 Intersected the N & S. line 50 lks. S. of post

T10 N. R3 E. 2^d Mer. Indiana

Land uneven 2^d rate, timber Poplar, Beech
Sugar & M. Walnut, undergth Spice.

West Corrected between Sec. 8 & 17, T10 N. R3 E.
40.21 Set the gth Sec. post at average dist. from which
a Beech 7 m. diar. bear N 71 E 40 lks. dist. of
a do 12 " " " S 57 W 27 " "
80.42 to Sec. Corner January 29th 1820

West Between Sec. 7 & 18, T10 N. R3 E.
20.00 a Brook 20 lks. wide Cr. South 50 West
29.65 a Sugar 9 m. diar.
35.00 a Brook 10 lks. wide Cr. S 20 W
40.00 Set the gth Sec. post, from which
a Beech 7 m. diar. bear N 56 1/2 W 24 lks. dist. of
a Sugar 11 " " " S 49 E 22 " "
51.70 a Poplar 22 " "
72.60 Intersected the W. boundary 92 lks. N. of post
Set a post Cor. to Sec. 7 & 18, from which
a Beech 13 m. diar. bear N 56 E 18 lks. dist. of
a do 13 " " " S 4 W 26 " "
Land uneven 2^d rate, timber Poplar, Sugar
and Beech, undergth Spice

North Between Sec. 7 & 8, T10 N. R3 E. 2^d Mer.
14.40 a Beech 30 m. diar.
23.00 a Brook 20 lks. wide S 45 W
40.00 Set the gth Sec. post, from which
a Beech 14 m. diar. bear S 10 E 34 lks. dist. of
a do 12 " " " N 56 W 34 " "
53.10 a Poplar 16 " "
80.00. Set a post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 22 m. diar. bear S 27 E 27 lks. dist. of

T10 N. R3 E. 2^d. Mer. Indiana

a Beech 6 in. dia. - bray N 22 W 8 lks. dist.
 Land uneven & 2^d rate, timber Poplar, Sugar
 & Beech, underg. th Spice.

East On Rand. 9^m between Sec. 5 & 8, T10 N. R3 E.

40.00 Set temp. q. Sec. post

52.00 at Brook 15 lks. wide Cr. S10 W.

80.28 Intersected the N. & S. line 43 lks. S. of post.

Land uneven & 2^d rate, timber, Poplar, Sugar
 & Beech, underg. th Dogwood & Spice.

West Corrected between Sec. 5 & 8, T10 N. R3 E.

40.14 Set q. Sec. post at average dist. from which

a Beech 6 in. dia. - bray N 84 E 17 lks. dist. of

a Do 11 " " " S 83 W 32 " "

80.28 to Sec. Corner.

North Between Sec. 5 & 6, T10 N. R3 E.

20.80 a Sugar 8 in. dia.

40.00 Set the q. Sec. post, from which

a Beech 14 in. dia. - bray N 77 E 13 lks. dist. of

a Gum 26 " " " N 70 W 37 " "

70.55 a Beech 8 " "

84.50 Intersected the N. boundary 242 lks. N. of post

Set a post Cor. to Sec. 5 & 6, T10 N. R3 E.

a Beech 8 in. dia. - bray S 58 W 35 lks. dist. of

a Do 13 " " " N 50 E 42 " "

Land uneven 2^d rate, timber Poplar, Beech
 and Sugar.

West Between Sec. 6 & 7, T10 N. R3 E.

17.80 a Sugar 11 in. dia.

40.00 Set the q. Sec. post, from which

Township N. 10 N., Range N. 3 E., T. Mer. Indiana

a Sugar 6 in. dia. tree N 16 W 22 lks. dist. of
a do 9 " " " S 25 E 28 " "

54.10 a Sugar 18 in. dia. tree.

63.00 a Brook 10 lks. wide Cr. S 20 E.

71.85 Intersected the N. boundary 96 lks. N. of post
Set a post cor. to Sec. 6 & 7, from which
a Beech 7 in. dia. tree N 68 W 14 lks. dist. of
a do 5 " " " S 77 E 22 " "

Land uneven & note, timber Poplar, Sugar
& Beech, undergth Spruce.

Surveyed by James Hedges, Dep. Sur.

Comp^d

I Certify that the foregoing transcript of field notes of
Township N. 10 N., Range N. 3 E., T. Mer. Indiana
has been Comp^d. with the original in this Office, and found
to be Correct.

Surveyor General's Office
Cincinnati, May 15th, 1841

E. J. Leake
Sur. Genl.